BUREAU OF INDIAN STANDARDS

Attachment to Licence No. CM/L- 5200146890

CM/L-No	Name of the Licensee with the Factory Address	Name of the Product	Indian Standard No.
5200146890	RATNAMANI METALS AND TUBES LIMITED -R. P. No. 47 , Tahsil: Sadar Sundargarh, Podabahal , SUNDARGARH : 770019	Steel Pipes for Water and Sewage (168.3 to 2 540 mm Outside Diameter)	IS 3589 : 2001

Endorsement No. 3 Dated 27-Apr-2026

Whereas, the licence was valid upto Twenty May Two Thousand Twenty Six.

Now, consequent upon renewal, the validity of the licence given in schedule of the Licence Dated 19-MAY-2026 has been extended from Twenty May Two Thousand Twenty Six to Nineteenth May Two Thousand Thirty One

The validity of the licenses has been extended for Five years with applicable fee deposition of one year only. Requisite fee is required to be submitted annually along with production statement for calculation of actual marking fee before completion of one-year period. If the production statement and/or annual fees is not received within timelines (i.e. before completion of the one-year period), then the licence shall stand suspended or deferred for 90 days duration.

During the period of these 90 days, the requisite information with fee accompanied with late fee of Rs. 5,000 can be submitted to make the licence operative. Otherwise, the licence shall stand cancelled or expired.

Other terms and conditions of licence remain same.

Branch Head (Bhubaneswar Branch Office)

भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS

Attachment to Licence No. CM/L- 5200146890

CM/L- No	Name of the Licensee with the Factory Address	Name of the Product	Indian Standard No.
5200146890	M/s RATNAMANI METALS AND TUBES LIMITED R. P. NO.- 47, TAHSIL- SADAR SUNDARGARH PODABAHAL, CITY- SUNDARGARH DIST- SUNDARGARH ODISHA- 770019	Steel Pipes for Water and Sewage (168.3 to 2 540 mm Outside Diameter)	IS 3589 : 2001

Endorsement No. 01 Dated 14-08-2025

The following addition in the scope of licence has been approved by the Bureau with effect **from Twelfth August Two Thousand Twenty Five.**

SAW, Grade Fe 330, Size from 457 mm OD upto and including 2540 mm OD, Thickness from 5 mm upto and including 20 mm, Bevel End and Plain End, Black(uncoated)

Consequent upon the above changes, the revised scope of licence in Column (3) of the table in schedule of the Licence along with the Standard Mark in Column (1) of schedule is amended to include as follows:

(i) **SAW, Grade Fe 410, Size from 457 mm OD upto and including 2540 mm OD, Thickness from 5 mm upto and including 20 mm, Bevel End and Plain End, Black(uncoated)**

(ii) **SAW, Grade Fe 330, Size from 457 mm OD upto and including 2540 mm OD, Thickness from 5 mm upto and including 20 mm, Bevel End and Plain End, Black(uncoated)**

Other conditions of Licence remain the same.

(Sudipt Kumar)
Scientist-D/Joint Director

सुदिप्त कुमार/SUDIPT KUMAR
वैज्ञानिक-डी/संयुक्त निदेशक
SCIENTIST-D/JOINT DIRECTOR
भारतीय मानक ब्यूरो/BUREAU OF INDIAN STANDARDS
भुवनेश्वर शाखा कार्यालय/BHUBANESWAR BRANCH OFFICE

भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS
The National Standards Body of India
मानक: पथप्रदर्शक:

6ठा मँजिल, गृह निर्माण भवन
सचिवालय मार्ग भुवनेश्वर - 751001
6th Floor, Gruha Nirman Bhawan,
Sachivalaya Marg, Bhubaneswar- 751001
दुरभाष / Phone - 0674-2394193 / 2391727
ई-मेल / Email: bhbo@bis.gov.in

SPEED POST

Our Ref: **BHBO/CM/L- 5200146890** **Dated:** 02/06/2025

Subject: **Grant of BIS Product Certification Licence No.CM/L- 5200146890 as per IS 3589 : 2001**

M/S RATNAMANI METALS AND TUBES LIMITED
R. P. NO.- 47, TAHSIL- SADAR SUNDARGARH
PODABAHAL, CITY- SUNDARGARH
DIST- SUNDARGARH
ODISHA- 770019

Dear Madam(s)/Sir(s),

With reference to your application, we are pleased to inform you that the Certification Marks Licence has been granted to you to use the Standard Mark in respect of the followings:

Product : Steel Pipes for Water and Sewage (168.3 to 2 540 mm Outside Diameter)

i) Grade | **SAW ,Grade Fe 410, Size from 457 mm OD upto and including 2540 mm**
ii) Type | **OD, Thickness from 5 mm upto and including 20 mm, Bevel End and**
iii) Class | **Plain End, Black(uncoated)**
iv) Variety|

As per IS 3589 : 2001

2. The number assigned to this Licence is **CM/L- 5200146890** which has been made operative from **20-05-2025** and is valid up to **19-05-2026**. The licence number shall invariably be referred to in your future correspondence.

3. The licence is granted on the explicit condition that you shall mark entire production under scope of licence with Standard Mark and maintain conformity to the relevant Indian Standards. Accordingly, you shall cover the entire production under scope of licence with Standard Mark and maintain conformity to the relevant Indian Standards. In addition, you shall display the BIS product certification licence held by you prominently at your premises and also mention the BIS product certification licence held by you in your commercial advertisements.

4. According to Sub-Paragraph (1) & (3) of Paragraph 5 of Scheme-I of Schedule-II under Bureau of Indian Standards (Conformity Assessment) Regulations, 2018, the annual licence fee of Rs.1000.00 and the marking fee as notified is payable by you with effect from **20.05.2025** for the period of validity of the licence in advance.

Contd..P/2

5. Minimum Marking fee stipulated under Scheme-I of BIS (Conformity Assessment) Regulations, 2018 is payable by you regardless of the fact whether you actually mark your product or not with the Standard Mark. Our Receipt No. **R/AA52PC2025000145 dt.05.05.2025** for the licence fee and the minimum marking fee for the first operative period is already issued.

6. This advance minimum marking fee will be carried over to the next year on every renewal. The actual marking fee calculated on the unit rate on the production marked or the minimum marking fee, whichever is higher, shall be payable by you at the time of renewal.

7. With a view to streamlining the reporting of quantity marked, calculation and collection of marking fee on the unit rate basis, fees will be calculated on the production marked during the first nine months of operation of the licence at the time of first renewal, and on the production marked during twelve months comprising the last three months of the previous operative year and the first nine months of the current operative year, at the time of the second and subsequent renewals. In case the licence expires, the entire production marked till the expiry date shall be taken into account for calculating the marking fee payable.

8. The Scheme of Inspection and Testing (SIT) as specified by BIS will have to be implemented by your organisation strictly and completely. This supervision of the operation of the Scheme shall be done by a person responsible for the quality control function in your organisation. Kindly inform us the name and designation of the person who will be held responsible for the operation and maintenance of the Scheme. Any future change in this respect will have to be communicated by you to us as and when these take place.

9. We are enclosing a sheet giving the preferred dimensions of the Standard Mark to enable you to prepare the designs of the Standard Mark for marking the above product Photographic reduction in any size is permissible. This will ensure the relative proportions of the different dimensions maintained. Preferred dimensions be used as far as possible.

10. On commencement of marking of your product for which you are licensed, you may advertise your product with Standard Mark in various media only during the validity of your licence. The use of Standard Mark on letterheads and publicity literature will be permitted only on receipt of your assurance that in the event of cancellation or lapsing of your licence, the Standard Mark on your letterheads, publicity literatures etc. will be destroyed/obliterated.

Contd..P/3

11. This licence is granted for your manufacturing premises situated at **R. P. NO.- 47, TAHSIL- SADAR SUNDARGARH, PODABAHAL, CITY- SUNDARGARH, DIST- SUNDARGARH, ODISHA- 770019.** Privileges under the licence shall not be exercised by any other firm company/factory etc. This licence is not transferable in the event of shifting the manufacturing and testing equipment from the licensed premises to some other place, use of Standard Mark shall be stopped till the new premises are inspected and found to be satisfactory by BIS in respect of manufacturing and testing facilities available there and the address of the new premises is endorsed in the licence.

12. You are also advised to make yourself and other employees in your organisation aware about the provisions of the BIS Act, 2016 and Rules and Regulations framed thereunder especially the implications in case of any intentional or unintentional non-adherence.

13. It may be noted that this licence is granted under option 2 which is subject to the condition that if samples drawn on 14.05.2025 by BIS during the verification visit before grant of licence fail to conform to the requirements of relevant Indian Standard (in any requirement), the licence shall be put under suspension, and in case fresh sample after corrective action is not offered within one month or fresh sample fails to conform to the requirement of relevant Indian Standard, in any requirement, the licence shall be processed for cancellation (Applicable for GoL under option 2).

Thanking you,

Yours faithfully,

Encl: As above.

(A. K. Purohit)
Scientist-F/Sr. Director & Head

ए.के. पुरोहित / A.K. Purohit
वैज्ञानिक - एफ / Scientist-F
वरिष्ठ निदेशक एवं प्रमुख
Senior Director & Head
भारतीय मानक ब्युरो, भुवनेश्वर शाखा कार्यालय
Bureau of Indian Standards
Bhubaneswar Branch Office

भारतीय मानक ब्यूरो

Bureau of Indian Standards

मानक चिह्न के उपयोग के लिए अनुज्ञप्ति

Licence for the use of Standard Mark

लाइसेंस सं. सीएम/एल- **5200146890**
Licence No. CM/L- **5200146890**

यह ब्यूरो, भारतीय मानक ब्यूरो अधिनियम, 2016 (2016 का 11) द्वारा प्रदत्त शक्तियों के आधार पर

मेसर्स रत्नामणि मेटल्स एंड ट्यूब्स लिमिटेड
आर.पी. नं.- 47, तहसील- सदर सुंदरगढ़
पोड़ाबहाल, शहर- सुंदरगढ़
जिला- सुंदरगढ़
ओड़िशा- 770019

को (जिसे इसमें आगे 'अनुज्ञप्तिधारी' कहा गया है) इसकी अनुसूची के पहले स्तंभ में विनिर्दिष्ट मानक चिह्न का, इस अनुसूची के तीसरे स्तंभ में दी गयी किस्मों पर, उपयोग करने के लिए यह अनुज्ञप्ति प्रदान करता है। इन उत्पादित किस्मों पर चिह्न का उपयोग उक्त अनुसूची के द्वितीय स्तंभ में समय-समय पर संशोधित अथवा पुनरीक्षित/संदर्भित संबद्ध भारतीय मानक (मानकों) के अनुसार/अनुरूप विनिर्मित हो।

By virtue of the power conferred on it by the Bureau of Indian Standards Act, 2016 (11 of 2016) the Bureau hereby grants to

M/S RATNAMANI METALS AND TUBES LIMITED
R. P. NO.- 47, TAHSIL- SADAR SUNDARGARH
PODABAHAL, CITY- SUNDARGARH
DIST- SUNDARGARH
ODISHA- 770019

(hereinafter called the licensee) this licence to use the Standard Mark set out in the first column of the Schedule hereto, upon or in respect of the varieties set out in the third column of the said Schedule which is manufactured in accordance with/conforms to the related Indian Standard(s) referred to in the second column of the said Schedule as from time to time amended or revised.

2. इस अनुज्ञप्ति में अनुबंध अनुज्ञप्ति की शर्तों के लिए अनुज्ञप्तिधारी उत्तरदायी है। यह अनुज्ञप्ति अनुसूची में यथा-उल्लिखित नाम, कारखाना के पते और अवधि के लिए विधिमान्य होगा और इसे स्कीम-। में निर्दिष्टानुसार नवीकृत कराया जा सकता है।

This licence carries obligations on part of the licensee as conditions of licence, which are given in Annexure attached herewith. This licence shall be valid for the name, factory address and period as mentioned in the schedule and may be renewed as specified in the scheme-I.

अनुसूची
Schedule

(अनुज्ञप्ति सं. सीएम/एल- **5200146890**)
(Licence No. CM/L- **5200146890**)

नाम: **मेसर्स रत्नामणि मेटल्स एंड ट्यूब्स लिमिटेड**
Name: **M/S RATNAMANI METALS AND TUBES LIMITED**
कारखाने का पता: **आर.पी. नं.- 47, तहसील- सदर सुंदरगढ़, पोड़ाबहाल, शहर- सुंदरगढ़, जिला- सुंदरगढ़, ओड़िशा- 770019**
Factory Address: **R. P. NO.- 47, TAHSIL- SADAR SUNDARGARH, PODABAHAL, CITY- SUNDARGARH, DIST- SUNDARGARH, ODISHA- 770019**
विधिमान्यता : **बीस मई दो हजार पच्चीस** से **उन्नीस मई दो हजार छब्बीस** तक
Validity From : **Twentieth May Two Thousand Twenty Five** to **Nineteenth May Two Thousand Twenty Six.**

मानक चिह्न Standard Mark	भारतीय मानक Indian Standard	अनुज्ञप्ति का विषय क्षेत्र Scope of Licence	चिह्नांकन फीस Marking Fee
(1)	(2)	(3)	(4)
IS 3589 **CM/L- 5200146890**	**आई एस 3589 : 2001 पानी और मलजल के लिए इस्पात पाईप (168.3 से 2 540 मिमी बाहरी व्यास के)** **IS 3589 : 2001 Steel Pipes for Water and Sewage (168.3 to 2 540 mm Outside Diameter)**	**SAW ,Grade Fe 410, Size from 457 mm OD upto and including 2540 mm OD, Thickness from 5 mm upto and including 20 mm, Bevel End and Plain End, Black(uncoated)**	एक वर्ष की प्रचालन अवधि के दौरान न्यूनतम मुहरांकन फीस रु.**1,27,000.00** के साथ सभी इकाईयों के लिए रु.8.70 प्रति इकाई | **इकाई = 1 टन** Rs.8.70 per unit for all units with a Minimum Marking Fee of Rs.**1,27,000.00** during an operative period of one year. **UNIT = 1 TONNE** एक प्रचालन वर्ष के लिए न्यूनतम मुहरांकन शुल्क अग्रिम में देय होगी जो अगले नवीकरण में अग्रनीत होगी। Minimum marking fee for one operative year payable in advance which will be carried over to next renewal(s).

आज **वर्ष दो हजार पच्चीस के मई माह की_____तारीख को हस्ताक्षरित, मुहरबंद किया गया।**
Signed, Sealed and Dated this 02nd day of ~~May~~ June **Month of Year Two Thousand Twenty Five.**

कृते भारतीय मानक ब्यूरो के लिए
for Bureau of Indian Standards

(ए. के. पुरोहित)
वैज्ञानिक-एफ/वरिष्ठ निदेशक एवं प्रमुख
02/06/2025
ए.के. पुरोहित / A.K. Purohit
वैज्ञानिक - एफ / Scientist-F
वरिष्ठ निदेशक एवं प्रमुख
Senior Director & Head
भारतीय मानक ब्युरो, भुवनेश्वर शाखा कार्यालय
Bureau of Indian Standards
Bhubaneswar Branch Office

उपाबंध

(अनुज्ञप्ति सं. सीएम/एल-5200146890)

अनुज्ञप्ति की शर्तें

(1) मानक चिन्ह का डिजाइन अनुज्ञप्ति में दी गई प्रतिकृति के आनुषंगिक होगा।

(2) मानक चिह्न के फोटोग्रफिक विस्तार अथवा लघुगरण का उपयोग भी किया जा सकता है, जब तक ब्यूरो द्वारा कोई अन्य विनिर्दिष्टि न दिए गए हों।

(3) अनुज्ञप्तिधारी उस संबद्ध माल, वस्तुओं, प्रक्रिया, प्रणाली अथवा सेवा की भारतीय मानक के अनुसार अनुरूपता के लिए उत्तरदायी होगा जिसके लिए मानक चिन्ह का उपयोग अथवा अनुप्रयोग किया गया है।

(4) अनुज्ञप्तिधारी उस, माल वस्तुओं, प्रक्रिया, प्रणाली अथवा सेवा के लिए मानक चिन्ह का उपयोग नहीं करेगा जो गैर-अनुरूप अथवा अनुज्ञप्ति के विषय-क्षेत्र से बाहर हैं।

(5) जिस माल और वस्तुओं के लिए मानक चिन्ह का उपयोग किया गया है अगर वे संबद्ध मानक की अपेक्षाओं के अनुरूप नहीं है, तो ब्यूरो अनुज्ञप्तिधारी अथवा उसके प्रतिनिधि को ऐसे गैर-अनुरूपता वाले माल के वापिस लेने का निदेश दे सकता है।

(6) अनुज्ञप्ति के आस्थगन अथवा निलंबन के दौरान अथवा उसकी समाप्ति अथवा रद्द होने के पश्चात किसी संबद्ध माल, वस्तु, प्रक्रिया, उपयोग अथवा सेवा के लिए मानक चिन्ह का उपयोग अथवा अनुप्रयाग नहीं किया जाएगा।

(7) अनुज्ञप्तिधारी को उस अनुरूपता आकलन योजना के उपाबंधो का पालन करना होगा जिसके अंतर्गत उसे अनुज्ञप्ति प्रदान किया गया है, जिसमें लेबलिंग और चिन्हांकन अपेक्षाएं भी शामिल हैं।

(8) अनुज्ञप्तिधारी ब्यूरो द्वारा समय-समय पर यथा-विनिर्दिष्टि अभिलेख अनुरक्षित रखेगा।

(9) अनुरूपता प्रमाणपत्र धारक अपने परिसर में निरीक्षण, लेखा परीक्षा या निर्धारण, जैसा भी लागू हो, करने के संबंध में ब्यूरो की पूरी सहायता करेगा। "और ऐसी सहायता में प्रमाणन अधिकारी द्वारा मुहरांकित और सीलबंद किए गए नमूनों को अभिहित कार्यालय या प्रयोगशाला में भेजना शामिल होगा और निरीक्षण, संपरीक्षा या मूल्यांकन की तारीख से सात दिन के भीतर अभिहित कार्यालय या प्रयोगशाला को इन नमूनों को प्रेषित करना सुनिश्चित करना होगा"

(10) अनुज्ञप्तिधारी उत्पाद और मानक चिन्ह के उपयोग अथवा अनुप्रयोग से संबंधित जानकारी जब ब्यूरो को अपेक्षित हो, प्रदान करेगा।

(11) यदि माल अथवा वस्तुओं पर मानक चिन्ह का उपयोग अथवा अनुप्रयोग के लिए अनुज्ञप्ति प्रदान किया गया हो तो अनुज्ञप्तिधारी को उन परेषिती, वितरकों, ब्यौहारी अथवा फुटकर विक्रेता की सूची देनी होगी, जिनको मानक चिन्ह वाले माल अथवा वस्तुओं की आपूर्ती की गई है।

(12) ब्यूरो के अनुमोदन के बिना अनुज्ञप्ति किसी व्यक्ति को अंतरित नहीं किया जाएगा।

(13) मानक चिन्ह वाले किसी माल, वस्तुओं, प्रक्रिया, प्रणाली अथवा सेवा से संबंधित शिकायत प्रमाणित होने पर ब्यूरो अनुज्ञप्तिधारी अथवा उसके प्रतिनिधि को मानक मुहरांकित माल और वस्तुओं की मरम्मत अथवा बदलने अथवा पुनर्निर्माण के निर्देश दे सकता है।

(14) अनुज्ञप्तिधारी को कम से कम एक माह के नोटिस देकर ब्यूरो, अनुज्ञप्ति की किसी शर्त को संशोधन का अधिकार रखता है।

भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS
BHUBANESWAR
भुवनेश्वर

Annexure
(Licence No. CM/L-5200146890)
Conditions of Licence

(1) The design of Standard Mark shall be identical to the facsimile given in the licence.

(2) The photographic enlargement or reduction of the Standard Mark may also be used, unless otherwise specified by the Bureau.

(3) The license shall be responsible for the conformity of the goods, article, process, system or service to the Indian Standard in relation to which Standard Mark is used or applied.

(4) The licensee shall not use the Standard mark in relation to goods, articles, process, system or service which are non-conforming or outside the scope of the licence.

(5) If goods and articles in relation to which a Standard Mark has been used do not conform to the requirements of the relevant standard, the Bureau may direct the licensee or his representative to recall such non-conforming goods.

(6) The Standard Mark shall not be used or applied in relation to any goods, article, process, system or service during deferment or suspension, or, after expiry or cancellation of the licence.

(7) The licensee shall comply with the provisions of the conformity assessment scheme under which licence is granted, including labelling and marking requirement.

(8) The licensee shall maintain records as specified by the Bureau form time to time.

(9) The licensee shall provide the Bureau all assistance in connection with carrying out inspection or audit or evaluation, as applicable, at its premises and such assistance shall include sending samples which have been marked and sealed by the certification officer to the designated office or laboratory and ensuring that such sample is dispatched to the designated office or laboratory within seven days from the date of inspection, audit or evaluation.

(10) The licensee shall provide information relating to production and use or applying of Standards Mark as and when it is required by the Bureau.

(11) If the licence is granted to use or apply Standard Mark on goods or articles, the licensee shall provide the list of consignees, distributors, dealers or retailers to whom goods or articles with Standard Mark is supplied.

(12) The licence shall not be transferred to any person without approval of the Bureau.

(13) If a complaint regarding quality of any goods, article, process, system or service bearing Standard Mark is established, the Bureau may direct the licensee or his representative to repair or replace or reprocess the standard marked goods and articles.

(14) The Bureau shall have the right to amend any of the conditions of licence by giving a notice of not less than one month to the licensee.

PREFERRED DESIGNS OF MONOGRAM FOR STANDARD MARK




FIG. 1 MONOGRAM FOR STANDARD MARK

The monogram of the Standard Mark consists of the pictorial representation, drawn in the exact style as indicated in Fig. 1 and in relative proportions as given in Table 1.

Table 1 Preferred Dimensions of Monogram

All dimensions in millimeters

A	B	a	R	r	SIZE OF LETTERS
2.5	1.9	0.2	0.4	-	1.0 mm
5	3.8	0.4	0.8	0.1	1.0 mm
10	7.5	0.7	1.7	0.2	2.0 mm
20	15	1.5	3.3	0.5	3.0 mm
40	30	2.9	6.7	1.0	4.0 mm
80	60	5.9	13.4	1.9	6.0 mm
160	120	11.7	26.7	3.8	10.0 mm
320	240	23.4	53.4	7.6	16.0 mm